



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS FINNED STRIP HEATERS:

APPLICATION: -

Air-conditioning, Stoving Paints, Textiles, Leather Drying, chambers, Heating - Arrangements.

CONSTRUCTION

Made of Stainless Steel, GP Sheathing having the heat resistance Chrome nickel 80/20 element coil protected under the best insulation to avoid the leakage of current and to ensure the long life of the heaters. Fins (3" x 1.5"), which increase the output of heat to the maximum dissipation and having screw type terminals on one end for proper connection.

INSTALLATION

Within forced in horizontal & flat position only

SUPPLY: - 240V / 1 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Total length	H to H Length	Prices (Rs) / Each
300	FSH 05	500	240V	12"	10.25"	750/-
301	FSH 07	750	240V	12"	10.25"	771/-
302	FSH 10	1000	240V	18"	16.25"	840/-
303	FSH 15	1500	240V	18"	16.25"	891/-
304	FSH 20	2000	240V	29"	27.25"	939/-
305	FSH 25	2500	240V	33.5"	31.75"	1050/-
306	FSH 30	3000	240V	33.5"	31.75"	1092/-
307	FSH 35	3500	240V	33.5"	31.75"	1317/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS FINNED AIR HEATERS DOUBLE TUBE TYPE:

APPLICATION: -

Air-conditioning, Stoving Paints, Textiles, Leather Drying, chambers, Heating - Arrangements.

CONSTRUCTION

Finned Air Heaters are consisting of two tubular mineral filled INC-800 / Stainless Steel sheathed elements dia 8 mm, in one unit GP Finns (3.5" x 1.5") are provided for quick dissipation of heat in discharge area. It can be installed in any position as per space requirements. Its 50% wattage can be utilized in required. Its special feature - maximum wattage in minimum space.

INSTALLATION

Within forced air with thermostat (Optional) in any position

SUPPLY: - 240V / 1 PH / AC / 50 Hz

NOTE: - Inbuilt Thermostat can also provide @ extra cost.

Sr. No.	Cat. No	Watts	Volts	Total length	H to H Length	Prices(Rs) / Each
309	DTA 10	1000	230V	12"	10.25"	1083/-
310	DTA 15	1500	230V	12"	10.25"	1089/-
311	DTA 20	2000	230V	18"	16.25"	1443/-
312	DTA 20+	2000	230V	29"	27.25"	1761/-
313	DTA 30	3000	230V	24"	22.75"	1797/-
314	DTA 30+	3000	230V	33.5"	31.75"	2049/-
315	DTA 40	4000	230V	36"	34.25"	2202/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.com

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS FINNED AIR HEATERS (N/M/U/UU) SHAPES:

APPLICATION: -

Air-conditioning, Stoving Paints, Textiles, Leather Drying, chambers, Heating - Arrangements Etc.

CONSTRUCTION

Made of Special Steel / Stainless Steel / INC 800 in precised with continuous Finns of Stainless Steel / GI Especially designed are provided for more dissipation of heat / more life. It can be installed in any position.

CAUTION

Must be installed in outlet of air in any Direction with Thermostat and Thermal Cut-out.

INSTALLATION

Within forced in any position

SUPPLY: - 230V / 1 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Total length	Width	Prices (Rs) / Each
316	MNO 15	1500	230V	9"	6"	921/-
317	MNO 20	2000	230V	10"	6"	882/-
318	MNO 25	2500	230V	12"	7"	948/-
319	MNO 30	3000	230V	15"	7"	1086/-
320	MNO 45	4500	230V	18"	9"	1395/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank Daryaganj Branch IFSC Code KKBK0000219



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS AIR HEATER “U” TYPE FOR:

APPLICATION: -

Baking Chambers, Ovens, Heater Chambers Conveyors, Furnaces Etc.

CONSTRUCTION

Air Heaters are manufactured out of high temperature resistance chrome nickel steel tube to withstand a surface temperature upto 600 degree C.

Each element is provided with two adjustable fixing brackets.

INSTALLATION

Within forced in horizontal & flat position only

SUPPLY: - 230V / 1 PH / AC / 50 Hz

NOTE

Special air heating elements and units for higher working temperature upto 650 degree C also available which are used in Glass Decorative annealing lehr.

Sr. No.	Cat. No	Watts	Volts	Total length	Width	Prices (Rs) / Each
322	AHU 05	500	230V	254	55	282/-
323	AHU 07	750	230V	450	55	390/-
324	AHU 10	1000	230V	610	55	459/-
325	AHU 10+	1000	230V	762	55	633/-
326	AHU 15	1500	230V	762	55	657/-
327	AHU 15+	1500	230V	990	55	771/-
328	AHU 20	2000	230V	990	55	798/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS FINNED AIR HEATER “U” TYPE FOR:

APPLICATION: -

Blower Type Ovens, Heat Chambers, Conveyors, Furnaces and air Conditioning Etc.

CONSTRUCTION

Made out of high temperature chrome nickel steel tube having 28/24 mm round G.I. / S.S. Finns provided with 2 brackets / nipples for installation. Designed for rapid and uniform heat transfer for forced convection air heating. Ideal for usage in air ducts and forced air.

INSTALLATION

Within forced in horizontal & flat position only

SUPPLY: - 230V / 1 PH / AC / 50 Hz

NOTE

Special air heating elements and units for higher working temperature upto 650 degree C also available which are used in Glass Decorative annealing lehr.

Sr. No.	Cat. No	Watts	Volts	Total length	Width	Prices (Rs) / Each
329	FAU 05	500	230V	254	55	546/-
330	FAU 07	750	230V	450	55	687/-
331	FAU 10	1000	230V	610	55	909/-
332	FAU 10+	1000	230V	762	55	1053/-
333	FAU 15	1500	230V	762	55	1161/-
334	FAU 15+	1500	230V	990	55	1425/-
335	FAU 20	2000	230V	990	55	1560/-



GST GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS OVER THE SIDE ALKALINE (ALI) / LEAD COVERED (LCI) / CHEMICAL IMMERSION (CIT) HEATERS:

APPLICATION (ALI): -

These heaters are used for alkaline cleaning solution, Citrus juices and very mild acid bath not corrosive to stainless steel sheet.

APPLICATION (LCI): -

These heaters are recommended for nickle, copper or chrome, plating baths and sulphuric acid solution having not more than 10% concentration.

Caution these heaters are not recommended for any other acid.

APPLICATION (CIT): -

These heaters are generally used for plating baths such as nickles, chrome, gold, silver including ferric and iron chloride solution bright dips and nickels containing, nitric, phosphoric and chromic acids, permanganates, persulphates.

SUPPLY: - 230V / 1 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Total length	Hot Length	Cold Length	Prices (Rs) / Each
336	ALI 20	2000	230V	525	325	200	1692/-
337	ALI 30	3000	230V	685	385	300	1932/-
338	LCI 20	2000	230V	525	325	200	3072/-
339	LCI 30	3000	230V	685	385	300	3414/-
340	CIT 20	2000	230V	525	325	200	4932/-
341	CIT 30	3000	230V	685	385	300	6441/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.comURL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS BOBBIN STAINLESS STEEL / LEAD COVERING / GLASS / SILICA / TITANIUM / HEATERS:

APPLICATION (ALI): -

These heaters are used for Light Oils, Chemical and Water Immersion applications.

CONSTRUCTION: -

These are rewirable type elements and inserted in the tubeing of Lead / STS (Silica) / SSL (Stainless Steel) / TIH (Titanium) Etc. Its terminals are covered with cap fitted with Flange, for installation,

CAUTION: -

Must be dipped inside the chemical upto red mark which indicates hot length. The porcelain elements are inserted in the tube of 1" / 1-1/2" dia and terminal head on upper side sealed to prevent from moisture and fumes.

SUPPLY: - 230V / 1 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Total length	Hot Length	Cold Length	Prices (Rs) / Each
342	STC 20	2000	230V	24"	18"	6"	6270/-
343	STC 30	3000	230V	30"	24"	6"	6489/-
344	SSL 20	2000	230V	24"	18"	6"	2202/-
345	SS 30	3000	230V	30"	24"	6"	2970/-
346	LEAD20	2000	230V	24"	18"	6"	3852/-
347	LEAD30	3000	230V	30"	24"	6"	4290/-
348	TIH 20	2000	230V	24"	18"	6"	6600/-
349	TIH 30	3000	230V	30"	24"	6"	6900/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank Daryaganj Branch IFSC Code KKBK0000219



Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.com

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS INDUSTRIAL WATER IMMERSION HEATER FOR HOT WATER GENERATOR, TANKS & BOILERS ETC:

CONSTRUCTION: -

Made out of mineral filled tubular heating elements with copper / Stainless Steel / Incoloy tubing brazed to Brass Flange and duly nickle plated. It can be installed in any Position.

CAUTION: -

All Industrial Water Immersion Heaters are meant for heating water only and these must be immersed in water before putting them in operations

OPTION: -

Built in thermostat for long life and required temperature can be provided @ extra Cost.

SUPPLY: - 230-415V / 1-3 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Flange (BSPP)	Length	Prices (Rs) / Each
351	IWI 20	2000	230V	1.25"	220	867/-
352	IWI20+	2000	230V	1.5"	220	1041/-
353	IWI 30	3000	230/415V	1.25"	280	951/-
354	IWI30+	3000	230/415V	1.5"	220	1092/-
355	IWI 30++	3000	230/415V	2"	220	1392/-
356	IWI 40	4000	230/415V	2"	260	1455/-
357	IWI 50	5000	230/415V	2"	320	1482/-
358	IWI 60	6000	230/415V	2"	380	1521/-
359	IWI 75	7500	230/415V	2"	450	1866/-
360	IWI 90	9000	230/415V	2"	500	1935/-
361	IWI120	12000	230/415V	2"	610	2961/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank

Daryaganj Branch IFSC Code KKBK0000219



Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.com

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



DASPASS OIL IMMERSION HEATER FOR OIL TANKS ETC:

CONSTRUCTION: -

Made out of mineral filled tubular heating elements with special steel tube brazed to MS Flange provided with thermostat. Used for fuel oil heating, oil circulating, oil jacketing etc.

CAUTION: -

To be fully immersed in before putting in operation.

OPTION: -

Built in thermostat for long life and required temperature can be provided @ extra Cost.

SUPPLY: - 230-415V / 1-3 PH / AC / 50 Hz

Sr. No.	Cat. No	Watts	Volts	Flange (BSPP)	Length	Prices (Rs) / Each
362	OLI 20	2000	230/415V	2.5"	440	963/-
363	OLI 30	3000	230/415V	2.5"	440	1392/-
364	OLI 40	4000	230/415V	2.5"	580	1437/-
365	OLI 50	5000	230/415V	2.5"	600	1569/-
366	OLI 60	6000	230/415V	2.5"	650	1647/-
367	OLI 75	7500	230/415V	2.5"	650	1743/-
368	OLI 90	9000	230/415V	2.5"	760	1881/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219

Daspass Defrost Heaters / Heat Tracer/ Tubular type:-

Applications Field:-

Drain Pipes Etc. Cold Storage doors, Refrigerators, Warehouses, Road Defrosting, Deep Freezers

Technical Data: - 110V, 230V / AC / 50 Hz

Available in Standard lengths of 3, 5, 6, 7, 10, 10, 15 & 25 Mtr.

Type:- Double Side Connection 25 W/mtr, Single Side Connection 45 W/mtr, 50W/mtr

Tubular Type Defrost Heaters:-

For Trays, cooling & condensing coils, refrigerators, Deep Freezers Etc.

Both ends of heaters are sealed with silicon leads for connection available in

S.No.	Item		List Price
1	Heat tracer single side connections 45 Watts Per mtr/ 230V/50Hz/AC		245
2	Heater tracer both sides connections 25 Watts Per mtr /230V/50Hz/AC		165
3	Drain heater Silicon 1mtr meter 50 Watts Per mtr / 230V/50Hz /AC		410
4	Drain heater Silicon per meter 50 Watts Per mtr / 230V/50Hz /AC		290
5	Cut to length / 50 Watts Per mtr 230V/50Hz /AC		430
7	Coil Heater per running inch 230V/50Hz /AC		14
8	Tray Heater per running inch 230V/50Hz /AC		14

GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK000021



Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.com

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452



Tests

Visual
Input
High Voltage
Insulation Resistance as per IS 302

Available Models

Type HAB (Daspass Air Blower Heaters)



HAB

Technical Specifications

The Electric Finned air Elements, Blower, electric motor.
All equipments are totally installed in box type unit
The units are moving grill on front side.
The units are wire gurads on rear side.

Cat. No.	Specifications	CMH	RPM	Approx. Temp. Rise	List Price
HAB03	3.0 Kw / 415V-3PH-AC-50Hz	2450	900	03°	38572
HAB06	6.0 Kw / 415V-3PH-AC-50Hz	2450	900	06°	38572
HAB09	9.0 Kw / 415V-3PH-AC-50Hz	2450	900	13°	42858
HAB12	12.0 Kw / 415V-3PH-AC-50Hz	2450	900	15°	47143

GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

Email: millenniumhouse98@gmail.com

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452




DASPASS OIL SEALED COMPRESSORS CRANKCASE HEATER FLEXIBLE (BELT TYPE):-

Manufactured out of Special Higher temperature Silicon rubber with M.S Fixing arrangement, used for heating up all type of compressors etc.

OPERATING VOLTAGE: - 230V/1Ph/AC/50Hz

Cat no.	Length	Watts	List Price
CCHB80	900mm	80	1700/-



Note:- (Rate on request) Length & Watts if change as per your requirement.

Cat no.	Length	List Price
DCH 05	500mm	750/-
DCH 06	600mm	810/-
DCH 07	700mm	600/-
DCH 09	900mm	700/-
DCH 10	1000mm	800/-
DCH 12	1200mm	900/-



GST No.07AARPS0279G1Z9, HSN Code : 8516

Bank details :- A/c Name - Millennium House, A/c No. 0011223870, Bank: Kotak Mahindra Bank
Daryaganj Branch IFSC Code KKBK0000219



Safe Heating Solutions

Since 1968

Price List Effective From JAN - 2021

Millennium House

1679, Dakhni Rai Street Daryaganj New Delhi 110002

[Email.millenniumhouse98@gmail.com](mailto:millenniumhouse98@gmail.com)

URL : www.mhouse.co.in

Mob: +91-9891023817

Landline Number: +91-11-43596452