



Air Conditioners



Fan, Coolers & Motors Wir & Pin Type



Power



[Submersible Panels](#)



Washing Machines



Motor Start

Application

1. DC Link Circuit and DC Filtration
2. Solar inverters / Fans / Air Conditioners / Submersible / Washing Machine
3. Industrial & Commercial power supply
4. Inverter circuits appliances

Features

1. Capacitance Tolerance +- 10%
2. Rated Voltage 440 Volt AC
3. Frequency 50 Hz +- 5% tolerance
4. Temperature maximum -40 to +85 degree
5. Insulating resistance at 500dc for a minute
6. Dielectric material Metalised polypropylene (MPP)
7. High safety and self healing



Capacitor For Fan Cooler & Motor Wires & Pin

SIZE (MFD)	CAN SIZE	Packing (Pcs) Box/Carton
2.50	28 X 52	50/1000 Pc.
3.15	28 X 52	50/1000 Pc.
4.00	30 X 52	50/1000 Pc.
5.00	30 X 52	50/1000 Pc.
6.00	30 X 57	50/800 Pc.
8.00	35 X 70	50/400 Pc.
10.00	35 X 70	50/400 Pc.
12.50	35 X 70	50/400 Pc.
15.00	35 X 70	50/400 Pc.
20.00	40 X 70	50/200 Pc.

SIZE (MFD)	CAN SIZE	Packing (Pcs) Box/Carton
25.00	45 X 70	50/200 Pc.

36.00	45 X 94	50/200 Pc.
40.00	45 X 94	50/200 Pc.
45.00	50 X 94	50/200 Pc.
50.00	50 X 94	50/200 Pc.
60.00	50 X 94	50/200 Pc.
72.00	50 X 120	50/400 Pc.
80.00	55 X 120	50/160 Pc.
100.00	55 X 120	50/160 Pc.



Capacitors 250/450 VAC FOR SUBMERSIBLE PANELS


SIZE (MFD)	CAN SIZE (D X H)	Packing (Pcs) BOX/CARTON
25.00	35 x 70	50/400 Pc.
36.00	35 x 94	50/400 Pc.
36.00	40 x 94	25/200 Pc.
45.00	40 x 94	25/200 Pc.
50.00	45 x 94	25/200 Pc.
50.00	40 x 94	50/400 Pc.
60.00	45 x 94	25/200 Pc.
72.00	45 x 94	25/200 Pc.
80.00	45 x 94	25/200 Pc.

108.00	50 x 94	25/200 Pc.
--------	---------	------------



Motor Start Capacitors 230v AC

SIZE (MFD)	CAN SIZE (D X H)	Packing (Pcs) BOX/CARTON
40-60	40 x 70	50/400 Pc.
60-80	40 x 94	25/200 Pc.
80-100	40 x 94	25/200 Pc.
100-120	40 x 94	25/200 Pc.
120-150	45 x 94	25/200 Pc.
150-200	50 x 94	25/200 Pc.
200-250	50 x 94	25/200 Pc.
250-300	50 x 94	25/200 Pc.
300-400	50 x 120	25/200 Pc.



ALUMINIUM CAN CAPACIORS FOR AIR CONDITIONERS (2 PIN + 4 PIN)

SIZE (MFD)	CAN SIZE (D X H)	Packing (Pcs) BOX/CARTON
-------------	------------------	--------------------------

45	45 x 100	20/100 Pc.
50	50 x 100	20/100 Pc.
55	50 x 100	20/100 Pc.
60	50 x 100	20/100 Pc.



DUAL CAPACITORS FOR AIR CONDITIONERS (2 + 3 + 4 PIN)

SIZE (MFD)	CAN SIZE (D X H)	Packing (Pcs) BOX/CARTON
36+2, 36+4 & 36+6	50 x 110	20/100 Pc.
45+2, 45+4 & 45+6	50 x 110	20/100 Pc.
50+2, 50+4 & 50+6	50 x 110	20/100 Pc.
55+4, 55+6 & 55+10	50 x 110	20/100 Pc.
60+4, 60+6 & 60+10	50 x 110	20/100 Pc.



DUAL CAPACITORS FOR WASHING MACHINES

SIZE (MFD)	CAN SIZE (D X H)	Packing (Pcs) BOX/CARTON
5.3+2.1	35x96	50/400 Pc.

8+5	35x96	50/400 Pc.
9+5	35x96	50/400 Pc.
10+5	35x96	50/400 Pc.
12+6	35x96	50/400 Pc.



POWER CAPACITORS AS PER IS:13340 FOR INDUSTRIAL USE

SIZE (KVAR)	Type
5k-25k (MS Pin Type)	3 Terminal
5k-25k (Round Type)	3 Terminal
5k-20k (Round Wire)	3 Terminal
10k-40k (MS Pin Type)	6 Terminal